

ONLY WAY TO GO.

nge
ted
lid.

HONDA



Handlebars have been redesigned for improved rider position and comfort. Both machines also feature smoother, more comfortable molded neoprene grips.

This is the engine that started the superbike. A 4-stroke OHC transverse four mated to 5-speed gear box, it delivers even greater performance for 1977.

The sleekly styled free-valve type front forks provide highly efficient dampening. The fork tubes are rugged chrome plated steel. Sliders are polished aluminum alloy.

Large, hydraulically-operated self-adjusting disc up front for sure, positive stopping power.

EXCEPT FOR T

Handlebars have been redesigned for improved rider position and comfort. Both machines also feature smoother, more comfortable molded neoprene grips.

Newly-designed saddles with "two-stage" foam padding for increased comfort. Saddle shape has been scientifically designed for long-haul comfort.

The new streamlined, sports type fuel tank complements the 550K's lean, muscular good looks. The filler cap is recessed below a new locking lid.

Four seamless mufflers for clean streamlined good looks. The mufflers are also quieter and more efficient for 1977.



HIS WAY.



Complete instrumentation including speedometer/tripmeter, tachometer and oil pressure light, neutral, turn signal, and high beam indicator lights. The combination ignition switch/fork lock enables you to lock the front forks by turning the ignition key to the far left hand position. The choke control knob is also located up front within easy reach.

A quiet-running, quick-revving 4-stroke OHC transverse four, the 550K engine delivers big bike performance in a mid range machine.

The sleekly styled free-valve type front forks provide highly efficient dampening. The fork tubes are rugged chrome plated steel. Sliders are polished aluminum alloy.

Large, hydraulically-operated self-adjusting disc up front for sure, positive stopping power.

SPECIFICATIONS

CB750K

Engine:

Type	4-stroke, 4-cylinder OHC		
Displacement	736cc		
Bore and Stroke	61 mm x 63mm		
Compression Ratio	9.2:1		

Transmission Gear Ratios:

1st	2.500:1	4th	1.133:1
2nd	1.708:1	5th	0.969:1
3rd	1.333:1		

Clutch	Manual (wet, multi-plate)		
Oil Capacity	3.7 qt.		
Carburetion	Four 28mm Keihins		
Ignition System	Battery ignition		
Starting System	Electric and kick starter		
Exhaust System	Four mufflers		

Dimensions and Capacities:

Wheelbase	58.9 in.	Seat Height	31.9 in.
Overall Length	89.8 in.	Ground Clearance	5.9 in.
Overall Width	34.6 in.	Dry Weight	508 lb.
Tire Size	Front, 3.50H19, Rear, 4.50H17A		
Fuel Capacity	5.0 gal. (1.1 gal. reserve)		
Colors	Black and Red		

CB550K

Engine:

Type	4-stroke, 4-cylinder OHC		
Displacement	544cc		
Bore and Stroke	58.5mm x 50.6mm		
Compression Ratio	9.0:1		

Transmission Gear Ratios:

1st	2.353:1	4th	1.036:1
2nd	1.636:1	5th	0.900:1
3rd	1.269:1		

Clutch	Manual (wet, multi-plate)		
Oil Capacity	3.4 qt.		
Carburetion	Four 22mm Keihins		
Ignition System	Battery ignition		
Starting System	Electric and kick starter		
Exhaust System	Four mufflers		

You ride the same road to the same job, but refuse to have it bore you.

Your ideas about adventure don't include the "excitement" and "romance" of breaking down on a trip.

If you refuse all the penalties of second-rate, the Honda CB-750K and CB-550K must be your first choice.

Since its introduction in 1969, the CB-750 has been the world standard by which other 750's are judged.

This year its engine is more powerful, for even more thrilling performance.

Both the CB-750K and CB-550K boast new refinements, like more comfortable grips and a combined ignition/fork lock instrument module.

But both still maintain the authentic, versatile character that built their reputations.

Act on all your refusals to compromise, soon.

Let one of these new Hondas take the boredom out of every road you travel.

Dimensions and Capacities:

Wheelbase	55.5 in.	Seat Height	31.5 in.
Overall Length	84.7 in.	Ground Clearance	6.3 in.
Overall Width	32.5 in.	Dry Weight	427 lb.
Tire Size	Front, 3.25S19, Rear, 3.75S18		
Fuel Capacity	4.2 gal. (1.1 gal. reserve)		
Colors	Brown and Black		

HONDA

GOING STRONG!



Honda believes in safety first. Always wear a helmet and eye protection when riding. Honda is constantly striving to improve its products, and reserves the right to change specifications without notice. Printed in U.S.A. *Courtesy of Honda4Fun (www.honda4fun.com - www.honda4four.com)*

Courtesy of
Honda4Fun
www.honda4fun.com

